GEORGE ROBB
ARCHITECT
4800 DUNDAS STREET WEST, SUITE 201
TORONTO ONTARIO M9A 1B1
(TEL) 416-596-8301
(FAX) 416-596-1508

NORTH

ONTARIO ASSOCIATION OF ARCHITECTS
DONALD F. SCOTT
LICENCE
3816

ALL DIMENSIONS TO BE CHECKED AND VERIFIED ON THE JOB.

ANY AND ALL DISCREPENCIES TO BE REPORTED TO THE ARCHITECT.

ALL DRAWINGS REMAIN THE PROPERTY OF THE ARCHITECT.

DO NOT SCALE DRAWINGS.

No.	Issue	Date
00	ISSUED FOR PERMIT	10.01.28
01	ISSUED FOR TENDER	10.06.01
02	RE-ISSUED FOR TENDER	11.04.08

REMOVE EXISTING ROOFING MEMBRANE AND PROVIDE NEW ROOFING AND PREFINISHED FLASHINGS. UNDERTAKE ANY REQUIRED REPAIRS TO ROOF DECK, AND ROOF DRAIN CONNECTIONS

REPOINT EXISTING CHIMNEY AND RENEW ON STEP AND FINISHED FLASHING TO THE ROOF LINE & UNDERTAKE REPAIR AS REQUIRED TO CHIMNEY CAP

PROVIDE NEW WALL FLASHINGS AND FINISHED FLASHINGS AT ROOF TO WALL JUNCTURE AND AT ROOF EDGE TO MATCH WORK IN AT THE SECOND FLOOR FUNERAL HOME ROOF

REMOVE EXISTING ROOFING AND UNDERTAKE ALL REQUIRED REPAIRS TO THE EXISTING DECK

REMOVE EXISTING ROOFING AND UNDERTAKE ALL REQUIRED REPAIRS TO THE EXISTING DECK.

RENEW INSULATION AND PROVIDE NEW 4 PLY FELT & GRAVEL ROOFING

REMOVE EXISTING ROOFING SHINGLES AND ROOF MEMBRANE AND UNDERTAKE ANY REPAIRS AS REQUIRED TO ROOF (INSTALL NEW 30 YEAR ASPHALT SHINGLES ON ROOF -TYPICAL)

EXISTING CHIMNEY TO BE REPOINTED AND CHIMNEY CAP TO BE RENEWED. INSTALL PREFINISHED METAL CRICKET TO BACKSIDE OF CHIMNEY.

REMOVED PREVIOUSLY INSTALLED ROOF SHINGLES, REPLACED WITH NEW 30 YEAR ROOF ASPHALT SHINGLES

RENEW FLASHINGS FOR ROOF TOP UNIT AND ALL DUCT WORK PENETRATIONS TO ROOF

NEW EXHAUST FAN UNIT SEE MECHANICAL DRAWINGS FOR DETAILS

PROVIDE METAL FLASHING CRICKET ON BACKFACE OF CHIMNEY AND STEP AND THROUGH FLASHING AT LINE OF ROOF

NEW ROOF TOP UNITS (SEE MECHANICAL DRAWINGS)

1" SLOPED PERIMETER INSULATION BOARD

PREFINISHED METAL FLASHING

PROVIDE 8'-0"x8'-0" SLOPED INSULATION BASIN TO ROOF DRAIN (TYPICAL)

36" WIDE ICE AND WATERSHIELD MEMBRANE AT ROOF EDGE, VALLEYS, RIDGES AND TERMINATION AT FLAT ROOF

REMOVED PREVIOUSLY INSTALLED ROOF SHINGLES, REPLACED WITH NEW 30 YEAR ROOF ASPHALT SHINGLES

5" PREFINISHED METAL EAVESTROUGH (TYPICAL)

EXISTING RESIDENCE HVAC

FIREPLACE

PROVIDE NEW 4 PLY FELT & GRAVEL ROOFING MEMBRANE & INSULATION ON EXISTING ROOF DECK WITH 4'-0" PERIMETER SLOPED BOARD FROM 1" TO 0"

EXISTING ROOF DRAIN TO BE REMOVED AND RELOCATED

RENEW FLASHING DETAILS AS REQUIRED AT EXISTING ROOF TOP UNIT

EXISTING ROOF TOP UNIT TO BE RETAINED. (SEE MECHANICAL DRAWINGS AND SPECIFICATIONS).

RELOCATE EXISTING ROOF DRAIN IN MECHANICAL ROOM 218

PROVIDE NEW 4 PLY FELT & GRAVEL ROOFING MEMBRANE & INSULATION ON EXISTING ROOF DECK, WITH 4'-0" PERIMETER SLOPED BOARD FROM 1" TO 0"

EXISTING ROOF TOP UNIT TO BE REMOVED, UNDERTAKE ALL REPAIRS AS REQUIRED TO DECK TO ACCOMMODATE THIS AREA OF WORK.

PROVIDE NEW PREFINISHED METAL FLASHING AT EDGE OF ROOF TO SUIT NEW 6" CANT STRIP

EXTEND SLOPED ROOF PORTION OF ROOF 3'-0" OVER FLAT ROOF AND PROVIDE FLASHING AS REQUIRED

REMOVED PREVIOUSLY INSTALLED ROOF SHINGLES, REPLACED WITH NEW 30 YEAR ROOF ASPHALT SHINGLES

5" PREFINISHED METAL EAVESTROUGH (TYPICAL)

EXISTING PLUMBING STACK

EXISTING ROOF DRAIN

NEW ROOF DRAIN

NEW ROOF TOP UNIT REFER TO MECHANICAL DRAWINGS

AREA SHOWN TONED IS NEW SECOND FLOOR ROOF AREA WITH NEW INSULATION & DECKING. PROVIDE 4 PLY FELT & GRAVEL ROOF OVER ENTIRE AREA

EXISTING AIR CONDITIONING UNIT TO BE REMOVED

DASHED LINE REPRESENTS NORTH EDGE OF EXISTING SECOND FLOOR AREA

AREA SHOWN TONED IS PART OF SECOND FLOOR ROOF AREA WITH NEW INSULATION ON EXISTING PLYWOOD DECK. PROVIDE 4 PLY FELT & GRAVEL ROOF OVER ENTIRE AREA

PROVIDE CANT STRIP

NEW ROOF DRAIN WITH TAPERED INSULATION

PROVIDE 4'-0" WIDE SLOPED INSULATION AT PERIMETER OF THE ENTIRE ROOF AREA

NEW EXHAUST FAN UNIT SEE MECHANICAL DRAWINGS FOR DETAILS

PROVIDE PREFINISHED METAL FLASHINGS AT FACE OF BUILDING AND AT THE EDGE OF THE ROOF WITH MEMBRANE FLASHINGS AS REQUIRED (TYPICAL)

PROVIDE SCUPPER AT EDGE OF ROOF TO DRAIN FLAT ROOF

EXISTING ROOF DRAIN

PROVIDE NEW 5" PREFINISHED METAL EAVESTROUGH

EXISTING ROOF TOP UNIT TO BE RETAINED

REMOVED PREVIOUSLY INSTALLED ROOF SHINGLES, REPLACED WITH NEW 30 YEAR ROOF ASPHALT SHINGLES ON EXISTING ROOF DECK WITH 3'-0" ICE & WATERSHIELD AT ROOF EDGES, RIDGES AND AT JUNCTURE TO LANTERN ROOF

PROVIDE NEW 30 YR. ASPHALT SHINGLES ON CONTINUOUS ICE AND WATERSHIELD MEMBRANE WITH GALVANIZED STARTER FLASHINGS AT ROOF EDGES.

REMOVE ALL EXISTING ASPHALT SHINGLES FROM ROOF AND UNDERTAKE ALL REQUIRED REPAIRS TO THE EXISTING PLYWOOD DECK.

RENEW ALL FLASHING DETAILS TO EXISTING LANTERN WINDOWS AND PREPARE FOR NEW CAULKINGS IN ALL LOCATIONS

PROVIDE TWO ROWS OF 3'-0" WIDE ICE AND WATERSHIELD MEMBRANE AT ROOF EDGE TO ASSURE MEMBRANE OVERLAPS 1'-0" INSIDE LINE OF INTERIOR WALL OF CHAPEL

R.W.L.

1 A303 ROOF PLAN
1/4" = 1'-0"

ADDITION & ALTERATIONS - EGAN FUNERAL HOME

203 Queen St. S., Bolton, ON

Roof Plan

PROJECT NUMBER	0660
SCALE	AS SHOWN
DATE	28 JANUARY 2010
DRAWN	M.D./U.M.
CHECKED	D.F.S.
SET NO.	DRAWING NO.

A303