1 S101 BATTERED PILE DETAIL
1/4"=1'-0"

FOUNDATION PLAN
3/32"=1'-0"

PLAN NOTES:
1. FOUND SPREAD AND STRIP FOOTINGS ON NATIVE NATURALLY CONSOLIDATED SOILS WITH BEARING CAPACITY: 120kPa (ULS), 90kPa (SLS).
2. HELICAL PILES TO BE INSTALLED TO SHARE SPECIFIED LOADS AS INDICATED ON PLAN. HELICAL PILES TO BE COMPLETE WITH CAST-IN CAP PLATE READY FOR CONCRETE PILE CAP.
3. PILE CAP LOADS INDICATED ARE FACTORED LOADS.
4. GEOTECH REPORT HAS BEEN COMPLETED.

BLACKWELL • BOWICK
Structural Engineers

Suite 405
19 Duncan Street
Toronto, Ontario
M5h 3n1

416-593-5300
blackwellbowick.com

ALL DIMENSIONS TO BE CHECKED AND VERIFIED ON THE JOB.
ANY AND ALL DISCREPENCIES TO BE REPORTED TO THE ARCHITECT.
ALL DRAWINGS REMAIN THE PROPERTY OF THE ARCHITECT.
DO NOT SCALE DRAWINGS.

No.	Issue	Date
00	BUILDING PERMIT	28.JAN.2010
01	TENDER	04.JUN.2010

ADDITION & ALTERATIONS - EGAN FUNERAL HOME

203 Queen St. S., Bolton, ON

FOUNDATION PLAN SHOWING GROUND FLOOR FRAMING

PROJECT NUMBER	0660
SCALE	1/4"=1'-0"
DATE	29 JANUARY 2010
DRAWN	
CHECKED	C.B.
SET NO.	DRAWING NO.

S-101

FILE: Q:\Jobs\Job-2009 - 080400 to 080499\080478 Egan Funeral Home\Drawings Structural\080478 S-101.dwg PLOT DATE: June 04, 2010